



Testoon ThermoMalin-TC

Body Temperature Measurement Camera









The handheld thermal camera, specially designed for body temperature measurement. It's equipped with a 160×120 resolution thermal detector. It helps to quickly detect fever

Key Features

- 160×120 resolution
- Thermographic accuracy up to ±0.5 °C
- 320 × 240 resolution 2.4" LCD display
- Built-in rechargeable Li-ion battery
- Up to 8 hours continuous running

Functions

Thermography

Device detects the real-time temperature, and display it on the screen.

Storage

Device is equipped with replaceable memory card to store recorded captured snapshots, and important data.

Palette

Device supports 4 palettes.





Specification


	Model	ThermoMalin-TC (HIK DS-2TP31B-3AUF)
Parameter		Handheld Thermography Camera
Thermal Module	Image sensor	Uncooled Focal Plane Arrays
	Max. Resolution	160×120
	Pixel Pitch	17μm
	Response waveband	8μm to 14μm
	NETD	< 40mK (@ 25 °C,F#=1.0)
	Field of View	$37.2^{\circ} \times 50^{\circ}$
	Focal length	3.1 mm
	IFOV (mrad)	5.48 mrad
	Min. Focus Length	≥ 150 mm
	Aperture	F 1.1
Image Display	Monitor	320 × 240 resolution 2.4" LCD display
	Palettes	Black hot, White hot, Rainbow, Ironbow
Thermography	Rules	3 thermometry points: Max. Temperature; Min. Temperature; Center Temperature
	Thermographic Range	30°C to 45 °C
	Thermographic Accuracy	±0.5 °C
Battery	Battery Type	Rechargeable Lithium Battery
	Battery Operating Time	8 hours continuous running
Functions	Laser Light	Support (Point to the thermography target)
	Storage	Replaceable memory card (default 8G, support up to 128G storage)
	Photo	Thermal image
	Video	N.A.
	Language	English
General	Power	3.7 V DC/0.4 A
	Power Consumption	Less than 1.2 W
	Hardware Interface	micro USB
	Working Temperature	-10 °C to 50 °C (14 °F to 122 °F)
	Protection level	IP54
	Drop Test Height	2 m (6.56 feet)
	Dimension	196 mm × 117 mm × 59 mm (7.7 " × 4.6 " × 2.3 ")
	Weight	Approx. less than 350 g (0.77 lb)
	Accessory	Power Adaptor, USB cable, 8GB memory card, User manual, Disk, Wrist Strap



Order Models ThermoMalin-TC


Box Content







Disk $(\times 1)$



USB Cable (x1)





power Adapter (x1)



Wrist Strap (x1)

Dimension







Distributed by



99 rue Beranger - 92320 Chatillon - France Tel. : +33 (0) 1 71 16 17 00 - Fax : +33 (0) 1 71 16 17 03

www.testoon.com

